



ARCHITECTURE
COLLECTION 2025-26



ONE OF THE
WORLD'S
LARGEST



ONE OF THE LARGEST
MANUFACTURERS
OF ALUMINUM
ROLLS & FOIL



WORLD'S
GREATEST BRAND



INDIAN
POWER BRANDS



Bureau of Indian Standards



FR
GRADE
ALUMINUM



THICKNESS
GUARANTEE



ANTI FADING
TECHNOLOGY



PVDF
COATING



EXTERIOR
GRADE



GREEN BUILDING
COUNCIL



Delhi Head Office 406, 4th Floor, Rectangle No. 1, Behind Select City Mall, District Centre Saket, New Delhi-110017 PH:-+91-98327 22222	Chandigarh Plot No.-828, Industrial Area, Phase-2, Chandigarh-160002 PH:- +91-172-401111, 2639222,2639333 Fax:-+91-172-2639444	Ahemdabad (Plant) Kheda bypass, Tal: Matar, Sokhda, Gujrat - 387570	Delhi Khasra No. 63/9/2 Opp Metro Pillar No. 592 Mundka New Delhi-110041 Mob:- +91 84102 62222 E: gmail-delhi@virgoasia.com
Panchkula Panchkula Plot No. 49, Phase -1 Panchkula-134109 Mob:- +91 70424 59222 E: pkl.acp@virgoasia.com	Lucknow 2/8/1 Mill Road Aishbagh Near SBI Bank Lucknow-226004 Mob: +91 97945 98260 E: lucknow.acp@virgoasia.com	Jaipur B-23 Sharma Colony Vistar 22 Godam Industrial Area, Jaipur-302019 Mob:- +91 87594 62222 E: jaipur@virgoasia.com	Ranchi 41, Kokar Industrial Area, Kokar, P.S-Sadar, Jharkhand, Ranchi-834001 Mob:- +91 89092 32222 Eranchi.acp@virgoasia.com
Kolkata Godown No:-10, 284, Maharaja Nanda Kumar Road, (North) Alambazar, Baranagar Jute Mill Compound, Kolkata-700035 Mob: +91 81780 22755 E: kolkata.acp@virgoasia.com	Indore 75/2/40 Lasudiya Mori Dewas Naka Indore-452010 Mob: +91 80127 62222 E: indore.acp@virgoasia.com	Mumbai Godawan 12/b, Bldg No.h-5, Shree Arihant Compound Kalher, Bhiwandi Thane-421302 Mob:- +91 72890 94222 E: mumbai.acp@virgoasia.com	Bengaluru Municipal No-2/1A, 3Rd Cross, Mysore Road Bangalore-560026, Karnataka Mob: +91 70195 77204 E: bangalore@virgoasia.com
Hyderabad Dairy Farm Road, Tirumalgiri, SATYA SAI ENCLAVE, Road No- 9, H.NO-1-31-15/A, Secunderabad-500015, Telangana State, Mob:-+91 96785 67222, +91 86440 82222 E: hyd@virgoasia.com	Chennai No-513, Old No - 273, Sydenhams Road, Nehru Timber Market, Choolai, Chennai, Tamil Nadu - 600112 Mob: +91 91768 18123 E: brchennai.acp@virgoasia.com	Kochi 19/6-A, PUTHIYA ROAD, KANARAPPADY Choorikkara, Ernakulam, State-Kerala- 682021 Mob: +91 98083 42222 E: acpkerala@virgoasia.com	Patna Krisna Niketan, Zero Mile, Patna, Bihar-800026 Mob:- +91 97715 77565

www.virgolam.com | For More Help: 98327 22222





THE ONLY **ACP** MANUFACTURING BRAND
IN **INDIA, MIDDLE EAST** AND **AFRICA** WITH
IN-HOUSE ALUMINIUM COIL **PRODUCTION**
CAPACITY. —————

3500+
Employees

32+ Years
of Expertise

Over 44+
Branches

588+
Distributors Channel
Nodes

21000+
Architect Interior
Designers

9700+
Network fabricators
across India

Production
Capacity of 129+ Million sq.mtr.
Laminates Annually

14 Manufacturing
Plants

T

U

O

B

A

At Virgo, quality is of utmost importance and we maintain the same in all the business heads of ours. We never compromise on quality and that is why we are recognized as indisputable leaders of laminate, plywood, MDF, aluminum, PVC and ACP. Apart from our adherence to quality, our 32 years long experience trail helps us deliver unmatched products to our customer. Be it laminate, plywood or aluminum products, for us, customers satisfaction is a barometer of our progress. In fact, we also focus on the overall development of society by favouring sustainable development. We are equivalently concerned about the environment, so we produce eco-friendly products that do not harm nature. We always stick to our ethos, value system, and professionalism that fuel our spirit to serve the finest quality products. This is applicable in each and every stage of the manufacturing process. Right from picking up the raw materials to serving the final product, we observe all the standards of quality and safety due to which, today, we have earned the market recognition of highest producer and exporter of laminates. We aspire to hold this position for many more years to come by keeping on innovating and serving exactly the right products.



COLLECTION

Our journey is defined by the recognitions we've earned,
each one a reflection of our quality, credibility, and unwavering standards.




INDEX

*Embedded
in the artistic detail*




MOSS & RUST

09 - 12



DUNE

13 - 16



WOODEN

17 - 18



SAND

19 - 20



METALLIC

21 - 22




SOLID

23 - 24




GLOSSY

25 - 26



Quality that
outshines the ordinary



VL 7002



100 x 75

VL 7001 | Industrial Ash



VL 7002 | Rust Ember



VL 7003 | Molten Core



 MOSS AND RUST



 MOSS AND RUST



VL 7004 | Ocean Haze



VL 7005 | Oxide Moss




VL 7006 | Burnt Bronze





DUNE

A curated range built to stand out with perfect finish,
standard presence, and uncompromised quality.



100 x 75

VL 8001 | Frosted Silk



VL 8002 | Icy Sky



VL 8003 | Honey Cream



VL 8004 | Velvet Ash






DUNE

*Smart and stylish,
with an elegant finish
and texture*



VL 8007 | Moon Ash



VL 8005 | Mist Chrome



VL 8006 | Cloud Stone



VL 8008 | Blue Pine



VL 8009 | Olive Stone






VL 911 AS

Bring the warmth of nature to your spaces with our wooden-finish ACP panels. Crafted with precision and rich textures, they echo the timeless charm and strength of real wood-perfect for modern, earthy exteriors.

WOODEN



100 x 75

VL 911 AS | Chinto Pine



VL 944 AS | Nayna Teak



VL 999 | Mahagony Elite





VL 913 AS | Caramel Teak




SAND

Inspired by the sleek finish of aluminum, these ACP panels offer a durable surface that's both visually striking and engineered for lasting performance.



100 x 75

VL 688 | Desert Sand



VL 622 | Canvas Grey

*The upgrade
your space deserves*




VL 666 | Asphalt Grey



METALLIC

With reflective textures and refined tones, our metallic finishes offer a distinctive glow that elevates any environment, from bold commercial spaces to modern homes.




VL 711 | Champagne Silver



VL 701 | Exotic Silver



VL 702 | Soothing Silver



VL 745 | Dark Grey Metallic



VL 747 | Metallic Grey



VL 705 | Anthrazit Grey



VL 722 | Champagne Gold



VL 766 | Metallic Bronze



VL 799 | Pearl Copper




SOLID

Colours that stay true, surfaces that withstand,
engineered to maintain brilliance while shielding
your building from time and weather




VL 331 | Ice White



VL 357 | Beige



VL 359 | Dholpur Red



VL 321 | Milky White



VL 303 | Magma



VL 377 | Black



VL 354 | Hpcl Blue



VL 366 | Deep Blue




VL 388 | Luxury Red

*An architectural
presence with
thoughtful pause*



VL 533 | Glossy White



VL 522 | Glossy Off White



VL 566 | Glossy Black

GLOSSY

Smooth, shiny, and striking, our glossy ACP panels offer a sleek finish that reflects light brilliantly, bringing a lively, premium feel to any space.


APPLICATION, PRODUCT DETAILS



Applications Places

Public Facilities, Sun Protection System, Office Entry Portal, Windows, Playground Facilities, Sports Facilities, Elevation, Duct Covering, Ceilings, Balcony, Pillars, Doors, Gates, Ventilated Facades, Entrances, Fencing, Partitions, Railings, Outdoor Furniture & many more

Aesthetic And Quality Stay Forever



- Anti Bacterial
- Abrasion Resistant
- All weather Resistant
- Scratch Resistant
- Heat Resistant
- Light Resistant
- Easy Clean
- Stain Resistant
- Corrosion Resistant
- Impact Resistant
- Energy Saving System



VIRGO ALFA FR grade is used to create firewall to protect the houses, high rise buildings, hospitals, airports etc. A2 grade has fireproof properties like metals.


Recommended Fabrication Specification

- Aluminium section should used in 2' X 2' standard size
- Ideal panel size should be used in 2' X 2' standard size

Colour may vary from batch to batch >=4

Note: Virgo Premium Grade aluminium composite panels as per fire classification EN-13501-1 Class-B is also available. It is recommended to clean the panel minimum 2 times in a year for better performance of ACP. The cleaning agent PH should be 6-8 and the panel cleaning done below 30° C temperature.

Panel Composition



TECHNICAL DETAILS




Maximum Panel Stress: $\sigma_{\max} = (\beta.W.b^2)/t^2$
Maximum Panel Deflection: $y_{\max} = (\alpha.W.b^4)/(E_{ACP} \cdot t_{ACP}^3)$

W = Wind Pressure (N/mm²) | a = Longer side of the panel (mm) | b = Shorter side of the panel (mm)
 $t^2 = (\text{Panel Thickness}^3 - \text{Core Thickness}^3) / \text{Panel Thickness}$ | E_{ACP} = Flexural Elastic Modulus (N/mm²)
 $t^3 = \text{Panel Thickness}^3$


σ and β to be taken from the table below:

a/b	1	1.2	1.4	1.6	1.8	2	above
σ	0.3078	0.3834	0.4356	0.468	0.4872	0.4974	0.5
β	0.0138	0.0188	0.0226	0.0251	0.0267	0.0277	0.0284

Allowable Stress Curve (4mm.5)*



Maximum Deflection Curve (4mm.5)*



*4mm.5 Product chosen with 1200 mm width



DISCOVER OUR LEGACY OF INNOVATIVE DESIGNS AND FUTURISTIC SOLUTIONS.



CORPORATE PROFILE

To Download the Corporate Profile please scan the QR Code



CORPORATE VIDEO

To Watch the Corporate video please scan the QR Code



VIRGO ACP PROJECTS

To view the projects done please scan the QR Code



TEST CERTIFICATES

To view the Test Certificates please scan the QR Code



CORPORATE APPROVALS

To view the Corporate approvals please scan the QR Code



VIRGO CLADDING

To Download the Cladding Catalogue please scan the QR Code



VIRGO ACP

To Download the ACP Catalogue please scan the QR Code



TECHNICAL SPECIFICATIONS



PRODUCT GRADE	ALFA V7+	ALFA V7	XHPL
Panel Dimension	2440 X 1220 mm 3050 X 1220 mm 3660 X 1220 mm	2440 X 1220 mm 3050 X 1220 mm 3660 X 1220 mm	2440 X 1220 mm 3050 X 1220 mm 3660 X 1220 mm
Panel Thickness	4 mm	3 mm, 4 mm	6 mm
Aluminium Details (Alloys)	1XXX / 3XXX Series	1XXX / 3XXX 5XXX Series	1XXX / 3XXX 5XXX Series
Coating Thickness	25-28 µ (2 COAT - 2 BAKE)/33-35 µ (3 COAT - 3 BAKE)		
Bottom Coat Thickness	5-7 MIC		
Product Tolerance	Panel length ± 4mm, Panel width ±2mm, Panel thickness ± 0.2mm, Coil thickness ± 0.03 mm		

SPECIAL REMARKS:-

- Shade variance may vary batch to batch.
- 5000 series alloy is available as per demand.
- Images here are only for your reference and for representative purposes.
- Please contact a Virgo recognised dealer or local area sales representative for more details.
- Customized length available as per costumer requirement.
- We can Provide Customize Shade as per Customer requirement.
- We can Provide Customize Coil Thickness from 0.10 to 1 mm.
- ACP expand with temperature changes - about 2.4 mm/m per 100°C. To prevent deformation and maintain performance, allow for movement using slotted holes, flexible fixings, and expansion joints, especially in varying climates.